Supplier Information:				
Chemcraft Coatings Technology	Pho	one:	(530) 894-3585	
311 Otterson Drive	F	FAX:	(530) 896-0657	
Suite 60				
Chico, CA USA 959 28				
Customer Information:				
Customer Number: 00000	Name: GENERIC CUSTOMER			
Product Details (per Gallon	of Product):			
Product ID: 620-106				
Description: D-DUR CLEAR - SA	TIN			
MSDS Revision Date: 10/07/2005				
Photo Chemical Reactive: Yes				
94 O d'ide ha Maister - 00 5004			Lbs HAPS/Gals Solids:	11.57
% Solids by Weight: 36.59%	Lbs Solids: 2		Lbs VHAPS/Gals Solids:	11.57
% Solids by Volume 30.03%	EPA Lbs VOC Reportable: 5		Lbs VOC / Lbs Solids <=:	1.73
Density (lbs/gal): 8.15	Lbs VOC Reportable: 5		Lbs VHAP / Lbs Solids<=:	
% VOC by Weight: 63.41%	Lbs ROC: 5			1.17
% VHAP by Weight: 42.68%	Lbs VHAPS: 3	-	LDS HAP / LDS Solids <=.	1.17
% HAPS by Weight: 42.68%	Lbs HAPS: 3	3.48		
Test Conditions:				
Test conditions.				

Disclaimer:

While Chemcraft International, Inc. believes the data contained herein is accurate and derived from qualified sources, the data is not to be taken as warranty or representation for which Chemcraft International, Inc. assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State and Local Laws and Regulations.

Other Notes: "EPA Lbs VOC Reportable" value is calculated as VOC's minus water and exempt solvents.

Supplier Information:				
Chemcraft Coatings Technology	Р	hone:	(530) 894-3585	
311 Otterson Drive		FAX:	(530) 896-0657	
Suite 60				
Chico, CA USA 959 28				
Customer Information:				
Customer Number: 00000 N	lame: GENERIC CUSTOMER			
Product Details (per Gallon of	Product):			
Product ID: 620-111				
Description: D-DUR CLEAR MATTE				
MSDS Revision Date: 09/07/2005				
Photo Chemical Reactive: Yes				
% Solids by Weight: 37.18%	Lbs Solids:	3.05	Lbs HAPS/Gals Solids:	9.48
% Solids by Volume 30.36%	EPA Lbs VOC Reportable:	5.15	Lbs VHAPS/Gals Solids:	9.48
Density (lbs/gal): 8.20	Lbs VOC Reportable:		Lbs VOC / Lbs Solids <=:	1.69
% VOC by Weight: 62.82%	Lbs ROC:	5.15	Lbs VHAP / Lbs Solids<=:	0.94
% VHAP by Weight: 35.10%	Lbs VHAPS:	2.88	Lbs HAP / Lbs Solids <=:	0.94
% HAPS by Weight: 35.10%	Lbs HAPS:	2.88		
Test Conditions:				
Values based on calculations derived fro	am formula aposifications on of: 6	/9/200	7 1.12.21 DM	

Disclaimer:

While Chemcraft International, Inc. believes the data contained herein is accurate and derived from qualified sources, the data is not to be taken as warranty or representation for which Chemcraft International, Inc. assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State and Local Laws and Regulations.

Other Notes: "EPA Lbs VOC Reportable" value is calculated as VOC's minus water and exempt solvents.

Supplier Information:				
Chemcraft Coatings Technology	F	hone:	(530) 894-3585	
311 Otterson Drive		FAX:	(530) 896-0657	
Suite 60				
Chico, CA USA 959 28				
Customer Information:				
Customer Number: 00000	Name: GENERIC CUSTOMER			
Product Details (per Gallon of	Product):			
Product ID: 620-114				
Description: D-DUR CLEAR GLOSS	3			
MSDS Revision Date: 09/07/2005				
Photo Chemical Reactive: Yes				
% Solids by Weight: 36.04%	Lbs Solids:	2.90	Lbs HAPS/Gals Solids:	10.03
% Solids by Volume 30.33%	EPA Lbs VOC Reportable:	5.15	Lbs VHAPS/Gals Solids:	10.03
Density (lbs/gal): 8.05	Lbs VOC Reportable:	5.15	Lbs VOC / Lbs Solids <=:	1.77
% VOC by Weight: 63.96%	Lbs ROC:	5.15	Lbs VHAP / Lbs Solids<=:	1.05
% VHAP by Weight: 37.77%	Lbs VHAPS:	3.04	Lbs HAP / Lbs Solids <=:	1.05
% HAPS by Weight: 37.77%	Lbs HAPS:	3.04		
Test Conditions:				
	om formula specifications as of: 6			

Disclaimer:

While Chemcraft International, Inc. believes the data contained herein is accurate and derived from qualified sources, the data is not to be taken as warranty or representation for which Chemcraft International, Inc. assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State and Local Laws and Regulations.

Other Notes: "EPA Lbs VOC Reportable" value is calculated as VOC's minus water and exempt solvents.

Supplier Information:		
Chemcraft Coatings Technology	Phor	e: (530) 894-3585
311 Otterson Drive	FA	X: (530) 896-0657
Suite 60		
Chico, CA USA 959 28		
Customer Information:		
Customer Number: 00000 N	lame: GENERIC CUSTOMER	
Product Details (per Gallon of	Product):	
Product ID: 620-117		
Description: D-DUR - LOW GLOSS		
MSDS Revision Date: 06/08/2007		
Photo Chemical Reactive: Yes		
% Solids by Weight: 28.80%	Lbs Solids: 2.3	Lbs HAPS/Gals Solids: 11.26
% Solids by Volume 23.12%	EPA Lbs VOC Reportable: 5.6	
Density (lbs/gal): 7.97	Lbs VOC Reportable: 5.6	Like V/OC / Like Calida
% VOC by Weight: 71.20%	Lbs ROC: 5.6	
% VHAP by Weight: 32.64%	Lbs VHAPS: 2.6	Lbs HAP / Lbs Solids <=: 1.13
% HAPS by Weight: 32.64%	Lbs HAPS: 2.6	D
Test Conditions:		

Disclaimer:

While Chemcraft International, Inc. believes the data contained herein is accurate and derived from qualified sources, the data is not to be taken as warranty or representation for which Chemcraft International, Inc. assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State and Local Laws and Regulations.

Other Notes: "EPA Lbs VOC Reportable" value is calculated as VOC's minus water and exempt solvents.