

Product Information

Reducer (Compliant) – 803-1325

PRODUCT DESCRIPTION

This product is designed as a slow active reducer blend for acid catalyzed coatings. It's also effective in nitrocellulose coatings.

Reducer 803-1325 is formulated with a special blend of solvents to enhance the performance of our acid curing Reactive Amino Coatings (RAC). It is recommended that this product be used in hot climates.

FEATURES

Contact your Chemcraft® Sales Representative prior to using reducers other than those recommended on the Product Information Sheets

Note: Refer to the Material Safety Data Sheet for important information on safety and handling of this material

SPECIFICATION VALUES

Gloss: N/A

Flash Point: 7°C (45°F)

Specific Gravity: 0.84
Weight per Gallon: 7.03
Fire Hazard Class: 3
Health Hazard Class: 2

VOC: 842 g/l (7.03 lb/gal)

Lbs. VOC/Gallon: 7.03 lb/gal Lbs. VOC/Lbs. Solids: N/A Lbs. VHAPs/Lbs. Solids: N/A

SPECIFICATION INFORMATION

Shelf Life: N/A

Coverage: N/A

Mixing Ratio: N/A

Reduction: N/A

Reducer 803-1325

DIRECTIONS FOR USE

Surface Preparation: N/A

Directions for Use: Follow recommendations found on Product Information Sheets of materials using this product.

Notes: Refer to the Material Safety Data Sheet for important information on safety and handling for this material.

Vapor and liquid are irritating to skin and eyes. Wear goggles and gloves where there is danger of contact with the liquid.

The area must be mechanically ventilated when this product is used in large quantities.

The customer is responsible for following the supplier's recommended application procedures and addition levels. Failure to adhere to addition levels recommended in all Technical Data Sheets will likely result in unsatisfactory film appearance or film failure.

The above specifications are typical and the actual product may vary slightly.

APPLICATION

Application: N/A

Drying Times: N/A

Clean-Up: N/A