

Standards, Brackets and Closet Hardware

Maverick Hardware

Standards & Brackets

Regular Duty Standards

Features adjustment on 1" centers. 5/8" wide x 13/32" high. 16 gauge steel construction. Electroplated anochrome or powder coated finish. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV80ANO12	12"
KV80ANO18	18"
KV80ANO24	24"
KV80ANO36	36"
KV80ANO48	48"
KV80ANO60	60"
KV80ANO72	72"
KV80ANO84	84"
KV80ANO96	96"



<u>Black</u>	<u>Length</u>
KV80BLK24	24"
KV80BLK48	48"
KV80BLK60	60"
KV80BLK72	72"
KV80BLK96	96"

<u>White</u>	<u>Length</u>
KV80WH24	24"
KV80WH36	36"
KV80WH48	48"
KV80WH60	60"
KV80WH72	72"

<u>Brown</u>	<u>Length</u>
KV80BN48	48"

Heavy Standards

Use with KV183 brackets. Features adjustment on 1" centers. 3/4" wide x 1/2" high. 16 gauge steel construction. Electroplated anochrome finish. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV83ANO24	24"
KV83ANO36	36"
KV83ANO48	48"
KV83ANO60	60"
KV83ANO72	72"
KV83ANO84	84"
KV83ANO96	96"



Standard Flanged Shelf

Brackets

Use with KV83 brackets. Heavy duty bracket. Offers flange for additional shelf stability and easy mounting. Use with 1" adjustment standards. 16 gauge steel construction. Electroplated anochrome finish. Sold per each, 10 per box.



Regular Duty Shelf Brackets

Use with KV80 and KV83 standards. Features adjustment on 1" centers. 16 gauge steel construction. Electroplated anochrome or powder coated finish. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV180ANO04	4"
KV180ANO06	6"
KV180ANO08	8"
KV180ANO10	10"
KV180ANO12	12"
KV180ANO14	14"
KV180ANO16	16"
KV180ANO18	18"
KV180ANO20	20"

<u>Black</u>	<u>Length</u>
KV180BLK06	6"
KV180BLK12	12"
KV180BLK14	14"
KV180BLK16	16"
KV180BLK18	18"

<u>White</u>	<u>Length</u>
KV180WH04	4"
KV180WH06	6"
KV180WH08	8"
KV180WH10	10"
KV180WH12	12"
KV180WH14	14"
KV180WH16	16"

<u>Almond</u>	<u>Length</u>
KV180ALM10	10"

<u>Brown</u>	<u>Length</u>
KV180BN12	12"

<u>Brass</u>	<u>Length</u>
KV180BR12	12"

<u>Left</u>	<u>Length</u>
KV183L-10	10"
KV183L-12	12"
KV183L-14	14"
KV183L-16	16"
KV183L-18	18"
KV183L-20	20"

<u>Center</u>	<u>Length</u>
KV183C-10	10"
KV183C-12	12"
KV183C-14	14"
KV183C-16	16"
KV183C-18	18"
KV183C-20	20"

<u>Right</u>	<u>Length</u>
KV183R-10	10"
KV183R-12	12"
KV183R-14	14"
KV183R-16	16"
KV183R-18	18"
KV183R-20	20"

Standards & Brackets

Extra Heavy Duty Standards

Ideal for paint, hardware and grocery shelves. Features adjustment on 2" centers. 7/8" wide x 11/16" deep. 12 gauge heavy duty steel construction. Anochrome or powder coated finish. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV87ANO24	24"
KV87ANO36	36"
KV87ANO48	48"
KV87ANO60	60"
KV87ANO72	72"
KV87ANO84	84"
KV87ANO96	96"

Extra Heavy Duty Standard Locking Shelf Brackets

Use with KV87 standards. Offers a single molded nylon cam lock lever for greater stability. 12 gauge steel construction. Sold per each, 10 per box.

**Two Prongs**

<u>Anochrome</u>	<u>Length</u>
KV186ANO08	8"
KV186ANO10	10"
<u>White</u>	<u>Length</u>
KV186WH08	8"
KV186WH10	10"

**Three Prongs**

<u>Anochrome</u>	<u>Length</u>
KV187ANO12	12"
KV187ANO14	14"
KV187ANO16	16"
KV187ANO18	18"
KV187ANO20	20"
KV187ANO22	22"
KV187ANO24	24"
<u>White</u>	<u>Length</u>
KV187WH12	12"
KV187WH14	14"
KV187WH16	16"
KV187WH18	18"
KV187WH20	20"
KV187WH22	22"
KV187WH24	24"
<u>Stainless Steel</u>	<u>Length</u>
KV187SS12	12"
KV187SS16	16"
KV187SS20	20"

Front Rest



Center Rest



End Rest


Accessories:

(for use with KV186/187 brackets only)

<u>Part #</u>	<u>Finish</u>	<u>Description</u>
KV210ANO	Anochrome	End Rest
KV211ANO	Anochrome	Center Rest w/screw
KV212 ANO	Anochrome	Front Rest

Double Track Standards

The KV82 standards, combined with KV182 brackets, offer a great combination of strength and appealing aesthetics. The KV82 standards offer smooth and rounded corners, giving a softer and less intrusive appearance. The recessed groove design provides a streamline surface where the bracket meets the standard. Heavy-duty shelving system where the appearance and strength are critical. Appropriate for any institutional or residential setting requiring attractive, adjustable, strong storage. Applications include schools, hospitals, offices, libraries, retail stores and homes. Sold per each.



<u>Almond</u>	<u>Length</u>
KV82ALM16.5	16.5"
KV82ALM28	28"
KV82ALM39	39"
KV82ALM48	48"
KV82ALM63	63"
KV82ALM78	78"
KV82ALM94	94"

<u>White</u>	<u>Length</u>
KV82WH16.5	16.5"
KV82WH28	28"
KV82WH39	39"
KV82WH48	48"
KV82WH63	63"
KV82WH78	78"
KV82WH94	94"

Accessories:

KV182DP LCTR/JNR Shelf/bracket joints, clear 4 per bag

Double Track Brackets

<u>Almond</u>	<u>Length</u>
KV182ALM05	5"
KV182ALM07	7"
KV182ALM09	9"
KV182ALM10.5	10.5"
KV182ALM12.5	12.5"
KV182ALM14.5	14.5"
KV182ALM18.5	18.5"
KV182ALM24	24"



<u>White</u>	<u>Length</u>
KV182WH05	5"
KV182WH07	7"
KV182WH09	9"
KV182WH10.5	10.5"
KV182WH12.5	12.5"
KV182WH14.5	14.5"
KV182WH18.5	18.5"
KV182WH24	24"

Maverick Hardware

Standard & Brackets


Double Slot Standards

Features adjustment on 1" centers. Double slot adjustments designed to support heavy loads and long runs of shelving. 1 1/4" wide x 1/2" deep. 40 lbs per 100 feet. 16 gauge steel construction. Electroplated anochrome finish. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV85ANO24	24"
KV85ANO36	36"
KV85ANO48	48"
KV85ANO60	60"
KV85ANO72	72"
KV85ANO84	84"
KV85ANO96	96"

<u>White</u>	<u>Length</u>
KV85WH24	24"
KV85WH36	36"
KV85WH48	48"
KV85WH60	60"
KV85WH72	72"
KV85WH84	84"
KV85WH96	96"



Double Slot Brackets

For use with KV85 double slotted standard. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV185ANO08	8"
KV185ANO10	10"
KV185ANO12	12"
KV185ANO14	14"
KV185ANO16	16"
KV185ANO18	18"
KV185ANO20	20"
KV185ANO22	22"
KV185ANO24	24"

<u>White</u>	<u>Length</u>
KV185WH08	8"
KV185WH10	10"
KV185WH12	12"
KV185WH14	14"
KV185WH16	16"
KV185WH18	18"
KV185WH20	20"
KV185WH22	22"
KV185WH24	24"



Accessories:


KV106 Shelf Rest for KV185
Provides positive mounting of shelves to brackets. Use for joining two shelves at one bracket. 100 per box.

Adjustable Shelf Brackets

For use with KV80/KV83 standards. Offers slant adjustment to 15, 30 & 45 degrees. 16 gauge steel construction. Electroplated anochrome finish. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV179ANO10	10"
KV179ANO12	12"
KV179ANO14	14"



Lock Lever Brackets

For special effects and custom fixture design. For use with KV80 or KV83 standards. Anochrome finish. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV160ANO06	6"
KV160ANO08	8"
KV160ANO10	10"
KV160ANO12	12"
KV160ANO14	14"
KV160ANO16	16"
KV160ANO18	18"

Heavy Duty Lock Lever Brackets

For special effects and custom fixture design. For use with KV83 or KV85 standards. Anochrome finish. Sold per each, 10 per box.




<u>Anochrome</u>	<u>Length</u>
KV161ANO14	14"
KV161ANO16	16"
KV161ANO18	18"
KV161ANO20	20"
KV161ANO22	22"
KV161ANO24	24"

Narrow Face Standards

For special effects and custom fixture design. 10 pieces per box unless noted otherwise. Use with 1" adjustment KV steel brackets. 5/16" x 13/32" high, 16 gauge. Compatible with KV170 brackets. Sold per each.



<u>Anochrome</u>	<u>Length</u>
KV71ANO48	48"
KV71ANO60	60"
KV71ANO72	72"
KV71ANO84	84"
KV71ANO96	96"



Boltless Brackets

Zinc coated, 14 gauge steel. For use with KV80 or KV71 standards. For special effects and custom fixture design. Sold per each, 10 per box.



<u>Anochrome</u>	<u>Length</u>
KV170ANO08	8"
KV170ANO10	10"
KV170ANO12	12"

Standard and Bracket Accessories

Standard Shelf Fastener

KV153ANO

Mount standard to floor. Bolt and nut not included. 100 per box. Sold per each.



Single Bracket Shelf Rests

KV101PLAS Divided Back Shelf Rest

Use for two shelves meeting in center of shelf bracket. Use with any 1" adjustable single bracket. Clear plastic construction. Sold per each, 100 per box.

KV104PLAS Back Shelf Rest

Use as rest for back of shelf. Use with any 1" adjustable single bracket. Clear plastic construction. Sold per each, 100 per box.

KV104-1/2PLAS Half Size Back Shelf Rest

Use for corner applications. Use with any 1" adjustable single bracket. Clear plastic construction. Sold per each, 100 per box.

KV105PLAS End Rest

Use for end shelf application. Reversible for either left or right applications. Use with any 1" adjustable single bracket. Clear plastic construction. Sold per each, 100 per box.

KV129 Rubber Cushion


Use on glass shelves to keep from chipping and slipping. For plastic shelf rests. Gray rubber. Sold per each, 100 per box.

KV104-1/2ANO Half Size Back Shelf Rest


Use for corner applications. Use with any 1" adjustable single bracket. Anochrome finish. Sold per each, 100 per box.

KV104-ANO Back Shelf Rest


Use as rest for back of shelf. Use with any 1" adjustable single bracket. Anochrome finish. Sold per each, 100 per box.




KV101PLAS



KV104PLAS




KV104-1/2PLAS



KV105PLAS



KV129



KV104-1/2ANO



KV104-ANO

Extra Heavy Duty "L" Bracket

1,000 lbs capacity per pair. Used for garage shelving and storage. Recommended mounting hardware is 3 lag bolts, 5/16" diameter x 3" long, sold separately. Mounting should be into or through a wooden wall stud. 5mm thick bar stock construction. White epoxy coated finish. Sold per each. 10 per box.

<u>White</u>	<u>Height</u>	<u>Length</u>	<u>Width</u>
KV208-12WH	8.25"	11.62"	1.18"
KV208-16WH	10.56"	15.62"	1.18"
KV208-20WH	12.94"	19.50"	1.18"
KV208-22WH	14"	22"	1.18"
<u>Black</u>	<u>Height</u>	<u>Length</u>	<u>Width</u>
KV208-12BK	8.25"	11.62"	1.18"
KV208-16BK	10.56"	15.62"	1.18"
KV208-20BK	12.94"	19.50"	1.18"
KV208-22BK	14"	22"	1.18"



Maverick Hardware

Shelf Supports

Aluminum Pilaster Shelving System

Use these pilasters and supports for built in shelving and bookcase applications. Adjustable in 1/2" increments. 5/8" wide x 3/16" high. 17 gauge aluminum construction. Finish varies. Sold per each, 100 per bundle sizes 18" to 60". 50 per bundle sizes at 72" to 96".

<u>Aluminum</u>	<u>Length</u>
KV255AL12	12"
KV255AL18	18"
KV255AL24	24"
KV255AL30	30"
KV255AL36	36"
KV255AL48	48"
KV255AL60	60"
KV255AL72	72"
KV255AL84	84"
KV255AL96	96"
<u>Brass</u>	<u>Length</u>
KV255ALBR30	30"
KV255ALBR36	36"
KV255ALBR48	48"
KV255ALBR72	72"
KV255ALBR84	84"
KV255ALBR96	96"
<u>Walnut</u>	<u>Length</u>
KV255ALWAL24	24"
KV255ALWAL36	36"
KV255ALWAL48	48"
KV255ALWAL60	60"
KV255ALWAL72	72"
KV255ALWAL84	84"
KV255ALWAL96	96"
<u>Brown</u>	<u>Length</u>
KV255ALBRN72	72"
KV255ALBRN96	96"



Pilaster Shelf Supports

KV239ZC Deep Shelf Support
5/8" wide x 7/8" deep. Zinc finish. Sold per each, 100 per box.



Pilaster Shelf Supports

<u>Part #</u>	<u>Color</u>
KV256ZC	Zinc
KV256WAL	Walnut
KV256AL	Almond
KV256WH	White
KV256BR	Brass



5/8" wide x 3/4" deep. Steel construction unless otherwise indicated. Finish varies. Sold per each, 100 per box.

Pilaster Shelf Supports

KV757ANO Adjustable Pole Flange Support


For 1 1/16" maximum O.D. hang rods. For KV660 closet tubing. Zinc finish. Sold per each, 100 per box. Can be used with all 1 1/16" rods.



Pilaster Shelf Supports

KV243-ZC Medicine Cabinet Shelf Support

With 3" cross piece for narrow medicine cabinet shelves. 2 piece support. 2 1/2" hole centers. Zinc finish. Sold per each, 100 per each.



Pilaster Nails

<u>Part #</u>	<u>Color</u>
KV255N-AL	Almond
KV255N-BR	Brass
KV255N-ZC	Zinc
KV255N-STB	Bronze
KV255N-WH	White



Steel Pilaster Shelving System

Use these pilasters and supports for built-in shelving and bookcase applications. Adjustable in 1/2" increments. 5/8" wide x 3/16" high. 19 gauge steel construction. Finish varies. Sold per each, 100 per bundle (18"-60"), 50 per bundle (72"-96").



<u>White</u>	<u>Length</u>
KV255WH24	24"
KV255WH36	36"
KV255WH48	48"
KV255WH60	60"
KV255WH72	72"
KV255WH84	84"
KV255WH96	96"

Economy Standards

<u>White</u>	<u>Length</u>
KV255E24	24"
KV255E30	30"
KV255E36	36"
KV255E48	48"
KV255E60	60"
KV255E72	72"
KV255E96	96"

Shelf Supports & Mirror Clips

Shelf Pins

Features

- Shelf support with 5mm pin
- Stamped steel

Part #	Color/Finish
KV345W	Antique Copper
KV345B	Bright Brass
KV345N	Nickel



Shelf Pins

Features

- Shelf support with 1/4" pin
- Stamped steel

Part #	Color/Finish
KV346W	Antique Copper
KV346B	Bright Brass
KV346N	Nickel




Mirror Clips

Features

- Clear plastic mirror clips for 1/4" mirrors

Part #
EP2001



Glass Clip Retainer

Features

- Glass clip retainer

Part #	Color/Finish
EP2004	Bronze



Grommets for Shelf Pins

Part #	Description	Finish
KV325ANO	1/4" Grommet	Anochrome
KV325BR	1/4" Grommet	Brass-look
KV326ANO	5mm Grommet	Anochrome
KV326BR	5 mm Grommet	Brass-look



1/4" Metal Shelf "Spoon" Support

KV331B Polished Brass
KV331N Bright Nickel
Support is 7.7mm wide x 10mm long. 1/4" diameter x 8mm long shank. Solid steel construction. Sold per each, 1,000 per box.




5mm Metal Shelf "Spoon" Support

KV332B Polished Brass
KV332N Bright Nickel
Support is 7.7mm wide x 10mm long. 5mm diameter x 8mm long shank. Solid steel construction. Sold per each, 2,000 per box.

1/4" Plastic Shelf Support

High performance double ribbed shelf support assures durability. 1/4" diameter x 11/32" long shank. Plastic construction. Tan finish. Sold per each, 1000 per bag.

Part #	Color
BA1811-CLF	Clear
BA1811-FTN	Tan
BA1811-FWH	White



5mm Vinyl Coated Metal Shelf Support KV348WH

Features vinyl sheath to cover shelf support to protect wood and glass shelves. Shelf support is 1/2" wide x 11/16" long. 5mm diameter x 5/16" long pin. Metal construction. Sold per each, 100 per box.



Shelf Supports 5mm Steel Pegs

Features

- Plug in with metal pin
- Colors available- almond, brown, clear and white

Part #	Size
FT5MM-AL	5mm steel peg almond
FT5MM-BN	5mm steel peg brown
FT5MM-CL	5mm steel peg clear
FT5MM-WH	5mm steel peg white

U.S. Futaba, Inc.




Locking Shelf Clips

For 3/4" shelf material. Mounting pin for 1/4" or 5mm bored holes. Ideal for movable furniture or areas prone to occasional motion. Clips are ABS construction, white finish, unless otherwise noted. Sold per each, box of 100 or case of 1000.



Part #	Pin
RVJPE301-34-CL	1/4"
RVRAS305-34-CL	5mm



*clear finish, polycarbonate construction

Maverick Hardware

Standard & Bracket Weight Load Chart

Standard & Bracket Weight Load Chart

Nominal Bracket Size	Shelf Depth	170E/70E	170/80	180/80	182/82	183/83	185/85	187/87	87/187 SS	BHMA Grade 2 Required
6"	6"	-	-	-	5" - 425	-	-	-	-	125
8"	8"	220	250	320	7" - 360	460	680	880	560	125
10"	10"	190	200	240	9" - 370	445	570	760	420	150
12"	12"	180	180	190	10.5" - 330	405	520	1060	400	180
14"	14"	-	160	200	12.5" - 300	415	480	910	340	180
16"	16"	-	140	190	14.5" - 450	380	440	720	340	210
18"	18"	-	-	160	18.5" - 400	310	380	540	300	210
20"	20"	-	-	120	-	285	360	770	260	-
22"	22"	-	-	-	-	-	320	620	240	-
24"	24"	-	-	-	24" - 400	-	320	540	210	-

206 WH/ZC 12:	Rated at 440 lbs. per pair
206 WH/ZC 16:	Rated at 750 lbs. per pair
208 BLK/WH:	All sizes 1000 lbs. per pair

255 using 256 (steel) clip = 60 lbs. per clip	
233 using 237/238 (steel) clip = 60 lbs. per clip	
233/255 using 256AL NAT (aluminum) clip = 40 lbs. per clip	
Steel meets ANSI, A156.9 1988 rating	
Aluminum is not rated by ANSI	

Testing Standards:		
Spacing on standards is 16" on center		
Through 1/2" drywall into a 2 x 4 wood stud		
There is no reduction in shorter brackets		
Adding another bracket will not change the load rating per pair.		