-----DATE: 2/03/09

MATERIALSAFETYDATASHEETPAGE: 1

SHIPPED FROM: -----

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

*

FASTCAP WEBSITE: HTTP://WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

***** MATERIAL SAFETY DATA SHEETS *****

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT. THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE "STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE. * * IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT. *

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1* FLAMMABILITY ----->1 REACTIVITY ----->0

PERSONAL PROTECTION -->E

SHIPPED FROM: -----

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP://WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

PRODUCT CODE:

DC MISC GLUE 001.000% BLACK

2P-10 BLACK VERSION NUMBER: 1 DATE: 2/03/09

CHEMICAL NAME/FAMILY: COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS PIGMENT(S) AND ADDITIVE(S) APPLIES TO THEM IN THE PURE DRY FORM. THE FORM OF THE PIGMENT AND ADDITIVE PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

OSHA ACGIH

CAS PEL TLV OTHER DOES NOT NUMBER DESCRIPTION MG/M3 MG/M3 LIMITS EXCEED(%) 1333-86-4 CARBON BLACK 3.5 3.5 -100.00

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N/A SPECIFIC GRAVITY: N/A VAPOR PRESSURE: N/A MELTING POINT: N/A VAPOR DENSITY: N/A EVAPORATION RATE: N/A SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF C. THE METHOD USED TO DETERMINE THIS IS: ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH

SHIPPED FROM: -----

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: WEAR PROTECTIVE FIRE FIGHTING CLOTHING AND SELF CONTAINED BREATHING EQUIPMENT.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

IT MAY NOT BE OBVIOUS THAT CARBON BLACK IS BURNING UNLESS THE MATERIAL IS STIRRED AND SPARKS ARE APPARENT. CARBON BLACK THAT HAS BEEN ON FIRE SHOULD BE OBSERVED CLOSELY FOR AT LEAST 48 HOURS TO ENSURE NO SMOLDERING MATERIAL IS PRESENT.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID): PREVENT EXPOSURE TO HIGH TEMPERATURES >572 F (>300 C) AND OPEN FLAMES.

INCOMPATILBILITY (MATERIALS TO AVOID): STRONG OXIDIZERS SUCH AS CHLORATES, BROMATES, AND NITRATES.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, ORGANIC PRODUCTS OF DECOMPOSITION, OXIDES OR SULFUR (SULFOXIDES) FORM IF HEATED ABOVE DECOMPOSITION TEMPERATURE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID): $$\mathrm{N/A}$$

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHIPPED FROM: -----

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP://WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

SECTION VI - HEALTH HAZARD DATA: (CONT)

TEMPORARY DISCOMFORT TO UPPER RESPIRATORY TRACT MAY OCCUR DUE TO MECHANICAL IRRITATION WHEN EXPOSURES ARE WELL ABOVE THE OCCUPATIONAL EXPOSURE LIMIT.

- HEALTH HAZARD: SKIN NONE KNOWN
- HEALTH HAZARD: INGESTION NONE KNOWN
- HEALTH HAZARD: EYE CONTACT

HIGH DUST CONCENTRATIONS MAY CAUSE MECHANICAL IRRITATION TO EYES.

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE: * THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENTS PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CARBON BLACK: TEMPORARY DISCOMFORT TO UPPER RESPIRATORY TRACT. IARC HAS CLASSIFIED CARBON BLACK AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B).

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CARBON BLACK: UPPER RESPIRATORY DISORDERS, SUCH AS BRONCHITIS OR ASTHMA.

EMERGENCY FIRST AID: INHALATION

SHIPPED FROM: -----

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

SECTION VI - HEALTH HAZARD DATA: (CONT)

REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF SYMPTOMS DEVELOP, SEEK MEDICAL ATTENTION.

EMERGENCY FIRST AID: SKIN

WASH WITH SOAP AND WATER. IF SYMPTOMS OCCUR CONSULT PHYSICIAN.

- EMERGENCY FIRST AID: INGESTION DO NOT INDUCE VOMITING. IF CONSCIOUS AND ALERT, RINSE MOUTH WITH WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
- EMERGENCY FIRST AID: EYE CONTACT RINSE EYES THOROUGHLY WITH PLENTY OF WATER KEEPING EYELID OPEN. IF SYMPTOMS DEVELOP, SEEK MEDICAL ATTENTION.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

SMALL SPILLS SHOULD BE VACUUMED WHEN POSSIBLE. DRY SWEEPING IS NOT RECOMMENDED. A VACUUM EQUIPPED WITH HEPA FILTRATION IS RECOMMENDED. IF NECESSARY, LIGHT WATER SPRAY WILL REDUCE DUST FOR DRY SWEEPING. LARGE SPILLS MAY BE SHOVELED INTO CONTAINERS.

HANDLING: WASTE DISPOSAL

LANDFILL OR INCINERATE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL LAWS.

HANDLING: STORAGE

AVOID DUST EXPOSURES ABOVE THE OCCUPATIONAL EXPOSURE LIMIT. AVOID CONTACT WITH SKIN AND EYES. WASH EXPOSED SKIN DAILY. STORE IN DRY PLACE AWAY FROM IGNITION SOURCES AND STRONG OXIDIZERS.

HANDLING: OTHER PRECAUTIONS

FINE DUST MAY CAUSE ELECTRICAL SHORTS AND IS CAPABLE OF PENETRATING ELECTRICAL EQUIPMENT UNLESS TIGHTLY SEALED. IF HOT WORK (WELDING, TORCH CUTTING, ETC.) IS REQUIRED THE IMMEDIATE WORK AREA MUST BE CLEANED OF CARBON BLACK PRODUCT AND DUST. BEFORE ENTERING CLOSED VESSELS AND CONFINED SPACES CONTAINING CARBON BLACK TEST FOR ADEQUATE OXYGEN, FLAMMABLE GASES AND POTENTIAL TOXIC AIR CONTAMINANTS (I.E., CO).

SHIPPED FROM: -----

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

_____ SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE: (CONT)

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION AN APPROVED AIR-PURIFYING RESPIRATOR FOR PARTICULATES MAY BE PERMISSIBLE WHERE AIRBORNE CONCENTRATIONS ARE EXPECTED TO EXCEED OCCUPATIONAL EXPOSURE LEVELS.

CONTROL: VENTILATION USE VENTILATION SYSTEM TO MAINTAIN EXPOSURE LEVELS WITHIN THE ACGIH TLV

CONTROL: GLOVES

GLOVES TO MINIMIZE SKIN CONTACT.

- CONTROL: EYE PROTECTION WEAR SUITABLE EYE PROTECTION
- CONTROL: OTHER CLOTHING WORK CLOTHES SHOULD NOT BE TAKEN HOME AND SHOULD BE WASHED DAILY.

CONTROL: WORK/HYGIENE

WASH HANDS AND FACE THOROUGHLY WITH MILD SOAP BEFORE EATING AND DRINKING. FREQUENT SKIN WASHING MAY DRY SKIN. APPLICATION OF SKIN LOTION IS RECOMMENDED.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL. DOES NOT CAS # EXCEED(%) DESCRIPTION

NONE

SHIPPED FROM: -----

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

SECTION IX - OTHER REGULATORY INFORMATION: (CONT)

COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65:	WARNING - ANY	COMPONENT OF THIS	PRODUCT WHICH	CONTAINS
	MATE	RIALS KNOWN TO TH	E STATE OF CAL	IFORNIA TO
CAUSE CANCER ARE LISTED BELOW:				

NONE

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM ARE LISTED BELOW:

NONE

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW: CARBON BLACK - D2A

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW: NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS SHOWN BELOW:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A

-----DATE: 2/03/09

MATERIALSAFETYDATASHEETPAGE: 8

SHIPPED FROM: ------

FASTCAP LLC 3725 IRONGATE ROAD BELLINGHAM WA 98226 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP://WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% BLACK PRODUCT CODE: 2P-10 BLACK

SECTION X - STATE REGULATORY INFORMATION: (CONT)

HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND:ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS: NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE. IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. FASTCAP CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.